EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH (only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:07
L2	2	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:08

		extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3)) SAME ((mirror$3 OR backup$1 OR back $3 ADJ up$1) near3 (pair$3 OR partner $1)))					
L3	4	((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other $1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3)) SAME ((mirror$3 OR backup$1 OR back $3 ADJ up$1) WITH (pair$3 OR partner $1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:09	

L4	2	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3) WITH ((mirror$3 OR backup$1 OR back$3 ADJ up$1) WITH (pair$3 OR partner$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:14
L5	5	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3)) SAME ((mirror$3 OR backup$1 OR back$3 ADJ up$1) WITH (pair$3 OR partner$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:15

L6	1655	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:16
L7	898	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) WITH (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3)) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:16

L8	369	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((only OR sole$2) near5 (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3)) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 13:17
L9	258	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) WITH (main OR primary OR first) WITH (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME (((only OR sole$2 OR based OR respons$3) near5 (another OR addition$2 OR other$1 OR more OR extra OR second$3 OR remain$3 OR subsequent$2 OR follow$3 OR back$3 ADJ up OR backup OR mirror$3 OR partner$3 OR pair$3)) WITH ((allocat$3 OR appropriat$3 OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:54

		apporti on$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3)) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN))				
L10	252	((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3) WITH (main OR primary OR first) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH (((only OR sole$2 OR based OR respons$3) near5 (another OR addition $2 OR other$1 OR more OR extra OR second$3 OR remain $3 OR subsequent $2 OR follow$3 OR back$3 ADJ up OR backup OR mirror$3 OR partner$3 OR pair$3)) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3)) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 14:55

| L11 | 232 | ((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3) WITH (main OR primary OR first) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH (((only OR sole$2 OR based OR respons$3) near5 (another OR addition $2 OR extra OR second$3 OR remain $3 OR subsequent $2 OR follow$3 OR back$3 ADJ up OR backup OR mirror $3)) WITH ((allocat $3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat $4 OR identif$4 OR creat$3)) WITH (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 14:55 |
| L12 | 67 | ((allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4 OR creat$3) near5 (main OR primary OR first) near5 (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH (((only OR sole$2 OR based OR respons$3) near5 (another OR addition $2 OR extra OR second$3 OR remain | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/13 14:56 |

		$3 OR subsequent $2 OR follow$3 OR back$3 ADJ up OR backup OR mirror $3)) WITH ((allocat $3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat $4 OR identif$4 OR creat$3)) near5 (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN))				
L13	880	(veritas).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:28
L14	0	L13 AND (logical ADJ volume$1 AND operation$1 AND allocat$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:29
L15	3	L13 AND (logical ADJ volume$1 AND allocat$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:29
S110	788	(allocat$3 OR appropriat$3 OR apportion$3 OR allot $4 OR designat$4 OR identif$4) near5 (logical ADJ (volume $1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN) WITH (mirror$3 OR pair$3 OR backup$1 OR back$3 ADJ up$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:38

S111	420	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4) near5 (mirror$3 OR pair$3 OR backup$1 OR back$3 ADJ up$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:39
S112	33	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) WITH ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:55

S113	35	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:41
S114	0	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) SAME (allocat$3 ADJ on ADJ use)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:42

| S115 | 0 | ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) AND (allocat$3 ADJ on ADJ use) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 18:42 |
| S116 | 0 | ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) AND (allocat$3 ADJ use) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/12 18:43 |

S117	4	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) AND (allocat$3 ADJ us$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:43
S118	0	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) SAME (allocat$3 ADJ "on use")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:44

S119	0	((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 (logical ADJ (volume$1 OR partition$3 OR unit$1) OR extent$1 OR LPAR OR LUN)) SAME ((allocat$3 OR appropriat$3 OR apportion$3 OR allot$4 OR designat$4 OR identif$4 OR creat$3) near5 ((mirror$3 OR backup$1 OR back$3 ADJ up$1) near3 (pair$3 OR partner$1))) SAME (allocat$3 ADJ "on-use")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S120	46	"on-use"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S121	19	"allocation-on-use"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:45
S122	1	("6,725,328").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/12 18:48

8/13/2009 3:44:35 PM
C:\Documents and Settings\mkrofcheck\My Documents\Files from Applications\10767399\10767399.wsp